

Proposed Approach for the CERHR Evaluation of Low-Level Lead

Andrew A. Rooney, Ph.D.

Center for Evaluation of Risks to Human Reproduction, NTP National Institute of Environmental Health Sciences

May 10, 2010 Meeting of the NTP Board of Scientific Counselors





Presentation Outline

- Charge
- Nomination and Background
- Scope of the Evaluation
- Proposed Approach
- Comments





<u>Charge</u>

To review and comment on the proposed approach for the development of the NTP evaluation of low-level lead.

Review Comments:

- 1. Comment on the approach for the evaluation of low-level lead including development of the draft NTP Monograph for Low-Level Lead, the proposed use of external scientists, and involvement by the public.
- 2. Provide any other comments you feel CERHR staff should consider in developing this evaluation project.



Nomination and Background

- Evaluation of health effects of lead at lower levels of exposure
- Nominated by Dr. Elizabeth Whelan (NIOSH)
 - Occupational exposure limit allows blood lead levels of 40 μg/dL
 - ♦ Health effects are well established at blood lead levels ≥ 10 µg/dL
 - ❖ Some epidemiological evidence of effects below 10 µg/dL
 - ❖ Worker populations include women of childbearing age
- The NTP Board of Scientific Counselors:
 - Expressed unanimous support for a CERHR evaluation of reproductive and developmental effects of blood lead levels below 40 μg/dL at the December 6, 2007 meeting



Scope of the Evaluation

- Epidemiological data for health effects at blood lead levels $< 10~\mu g/dL$
 - ❖ Health effects are well established at higher levels
 - ❖ CDC's definition of elevated blood lead level is ≥ 10 μg/dL for all age groups
 - The focus on health effects < 10 μ g/dL will provide a weight of the evidence evaluation where there is more uncertainty
- Expanded scope beyond effects on reproduction and development
 - ❖ Including cardiovascular and renal effects
 - Effects of exposure prenatally, during childhood, adolescence, or as adults





Scope of the Evaluation


The evaluation is designed to address the following questions:

What is the weight of evidence for adverse health effects associated with blood lead levels < 10 μg/dL?

- What health effect(s) are associated with blood lead levels < 10 μg/dL?</p>
- At which life stages (prenatal, childhood, adolescence, or adulthood) is the effect identified?
- ❖ What is the blood lead level associated with the health effect?
- Are there additional biomarkers of exposure associated with the effect (e.g., bone lead) and how does this biomarker relate to the blood lead level?




CERHR Evaluation Process-Lead






Proposed Approach: CERHR Evaluation Process- Lead





Proposed Approach: CERHR Evaluation Process- Lead





Significance and Expected Outcomes

The NTP Monograph on Low-Level Lead will:

- Provide an evaluation of the epidemiological data on health effects associated with blood lead levels < 10 μg/dL</p>
- Provide clarity for health effects of lead at lower exposure levels
- ❖ Identify data gaps for evaluating the heath effects associated with lead at blood lead levels < 10 µg/dL</p>
- Develop research recommendations based on data gaps



<u>Charge</u>

To review and comment on the proposed approach for the development of the NTP evaluation of low-level lead.

Review Comments:

- Comment on the approach for the evaluation of low-level lead including development of the draft NTP Monograph for Low-Level Lead, the proposed use of external scientists, and involvement by the public.
- 2. Provide any other comments you feel CERHR staff should consider in developing this evaluation project.